

BARTOLI



BCT Standard Plus Quality

BCT cardboard was created for those who need competitive quality without sacrificing reliable performances. Bartoli cardboards are by their nature environmentally friendly, using recycled raw materials. Workability and competitiveness make this item particularly appreciated by the market.

DESCRIPTION

IMAGE
SCALE 1:1



COLOR	PRINT	THICKNESS	MASTER SHEET	STANDARD SIZES
brown	green	1,2 - 3,2 mm	3300 x 4800 mm	sheets 1060 x 1580 mm - LG
				sheets 1070 x 1570 mm - LG
				sheets 1540 x 960 mm - SG
				sheets 1540 x 1280 mm - SG
				sheets 1540 x 1200 mm - SG

FEATURES



CONNOTATIONS



CERTIFICATIONS

MANUFACTURING PLANT LUCCA - 100% MADE IN ITALY





SHEET SIZE mm	THICKNESS mm	GR/CM ²	KG/SH *	SH x PL
1060 x 1580	1,2	1,15	2,31	450
1060 x 1580	1,3	1,15	2,50	
1060 x 1580	1,5	1,15	2,89	360
1060 x 1580	1,8	1,15	3,47	300
1060 x 1580	2,0	1,15	3,85	270
1060 x 1580	2,2	1,15	4,24	245
1060 x 1580	2,4	1,15	4,62	
1070 x 1570	2,4	1,15	4,65	215
1070 x 1570	2,5	1,15	4,83	195
1070 x 1570	2,8	1,12	5,27	180
1070 x 1570	3,0	1,12	5,64	165
1070 x 1570	3,2	1,12	6,02	150
1540 x 1200	1,8	1,15	3,82	
1540 x 1200	2,0	1,15	4,25	220
1540 x 1200	2,3	1,15	4,88	
1540 x 1280	2,5	1,15	5,68	185
1540 x 1280	2,8	1,12	6,18	165
1540 x 1280	3,0	1,12	6,62	150
1540 x 1280	3,2	1,12	1,10	

TECHNICAL DATA

* Theoretical weights

Possibility to offer on demand specific sheet sizes, thicknesses, strips and sheets-roughing. The technical product values are reference values and may be subject to modifications. Each value is subject to minimum tolerances due to the use of recycled raw materials.

NOTES

TEST TM11	NAILING RESISTANCE	★★★★★
TEST TM80	DELAMINATION	★★★★★
TEST TM2	LONGITUDINAL/TRANSVERSAL TRACTION	★★★★★
TEST TM BAR01	RIGIDITY	★★★★★
TEST TM112	FATIGUE RESISTANCE	★★★★★

MECHANICAL TEST

TESTED BY



BARTOLI

BCT Standard Plus Quality



"Our environmental policy, which began many years ago, has always been oriented toward a scientific approach, never ideological, making use only of well known certifications issued by qualified and internationally accredited institutes, in compliance to the regulations and norms of over 80 countries where Bartoli company operates and private international brand requirements."

APPLICATION



100% RECYCLED

COMPOSITION



Recycled raw materials are carefully selected and controlled by the qualified supply chains. We use high performances pulp which pass both mechanical and chemical tests.



TAKE BACK. By this project we recover "insole-factory cuttings" directly from the footwear supply chain. The "insole-factory cuttings" are collected and returned to our company to be re-used in our production process. This further increases the circularity rate and reduces waste generation.



In cooperation with Intertek laboratories, for the chemical monitoring by constant tests on our raw materials and products in compliance with international regulations. In addition, the most restrictive limits of luxury brands become our benchmark limits.



Sign up to our newsletter to get updates on our products.
FRAME HERE




PRODUCT INFO SHEET 3/3
BCT Standard Plus Quality
06/2023

LIFE CYCLE THINKING



BCT Standard Plus Quality



<p>1000 PAIR OF SHOES MADE FROM BCT 3mm**</p>	<p>SAVED RESOURCES</p>	<p>CO₂ -19 kg eq</p> <p>RENEWABLE RESOURCES -77 kg</p>	<p>H₂O -48 m³</p> <p>UNCUT TREES -0,06</p>	<p>ENVIRONMENTAL IMPACT REDUCTION</p> <p>WOOD PULP -0,18 m³</p>
---	-------------------------------	---	--	---

* Theoretical savings values with the use of recycled paper compared to virgin paper per ton (LCA study - ERGO - Sant'Anna - Pisa).
 ** Theoretical savings values with the use of recycled paper compared to virgin paper per 77 Kg (LCA study - ERGO - Sant'Anna - Pisa).



Sign up to our newsletter to get updates on our products.
 FRAME HERE



LCT
 BCT Standard Plus Quality
 06/2023